


Turbine Style HYTORC-CLAMP DIMENSIONS (Limited Radius)



STUD PROTRUSION SHOULD EQUAL BOLT DIAMETER
 THD H. = BOLT DIAMETER

Bolt Size	Overall Diameter	Overall Height	Avanti	T-Tool
7/8" (M20)	1.40" 35.56mm	1.31" 33.27mm	AV-1	T-100
1" (M24)	1.60" 40.64mm	1.50" 38.10mm	AV-1	T-100
1-1/8" (M27)	1.80" 45.72mm	1.69" 42.93mm	AV-1	T-100
1-1/4" (M30)	2.00" 50.80mm	1.88" 47.75mm	AV-1	T-100
1-3/8" (M33)	2.20" 55.88mm	2.06" 52.32mm	AV-3	T-200
1-1/2" (M36-39)	2.40" 60.96mm	2.25" 57.15mm	AV-3	T-200
1-5/8" (M42X3)	2.60" 66.04mm	2.44" 61.98mm	AV-3	T-200
1-3/4" (M42-45)	2.80" 71.12mm	2.63" 66.80mm	AV-5	T-300
1-7/8" (M48)	3.00" 76.20mm	2.81" 71.37mm	AV-8	T-300
2" (M52)	3.20" 81.28mm	3.00" 76.20mm	AV-8	T-300
2-1/4" (M56)	3.53" 89.61mm	3.38" 85.85mm	AV-10	T-400
2-1/2" (M64)	4.00" 101.60mm	3.75" 95.25mm	AV-20	T-400
2-3/4" (M70)	4.40" 112.82mm	4.13" 104.90mm	AV-35	T-600
- (M72)	4.54" 115.19mm	4.25" 107.95mm	AV-35	T-600
3" (M76)	4.90" 124.46mm	4.50" 114.30mm	AV-35	T-600
- (M80)	5.04" 128.02mm	4.73" 120.14mm	AV-35	T-600
3-1/4" (-)	5.20" 132.08mm	4.88" 123.95mm	AV-35	T-600
3-1/2" (M90)	5.60" 142.24mm	5.25" 133.35mm	AV-35	T-600
3-3/4" (M95)	6.00" 152.40mm	5.63" 143.00mm	AV-35	T-600
4" (M100)	6.40" 162.56mm	6.00" 152.40mm	AV-50	T-900
4-1/4" (M110)	6.80" 172.72mm	6.38" 162.05mm	AV-50	T-900
4-1/2" (M115)	7.20" 182.88mm	6.75" 171.45mm	AV-50	T-900
4-3/4" (M120)	7.60" 193.04mm	7.13" 181.10mm	AV-50	T-900
5" (M125)	8.00" 203.20mm	7.50" 190.50mm	AV-50	T-900
5-1/2" (M140)	8.80" 223.52mm	8.25" 209.55mm	AV-50	T-900
6" (M150)	9.60" 243.84mm	9.00" 228.60mm	AV-50	T-900